

Certificate of Analysis
R&D

Batch # 10112
Batch Date: 2025-02-22
Extracted From: 2/22/25

Test Reg State: Florida

Production Facility: ks
Production Date: 2025-02-22

Order # PRO250222-120001
Order Date: 2025-02-22
Sample # AAGK758

Sampling Date: 2025-02-25
Lab Batch Date: 2025-02-25
Completion Date: 2025-03-03

Initial Gross Weight: 17.500 g
Net Weight: 14.426 g

Number of Units: 1
Net Weight per Unit: 4808.667 mg



Potency Tested

Product Image

Potency 10
Specimen Weight: 1525.500 mg

Tested
SOP13.001 (LCUV)

Potency Summary

Total Active THC 0.299%	14.378 mg	-	Total Active CBD None Detected
Total CBG -	None Detected	-	Total CBN None Detected
Total Cannabinoids 0.299%		14.378 mg	

Pieces For Panel: 3

Analyte	LOD (mg/g)	LOQ (%)	Result (mg/g)	(%)
Delta-9 THC	1.30E-5	0.015	2.990	0.299
CBC	1.80E-5	0.015	<LOQ	<LOQ
CBD	5.40E-5	0.015	<LOQ	<LOQ
CBDA	1.00E-5	0.015	<LOQ	<LOQ
CBDV	6.50E-5	0.015	<LOQ	<LOQ
CBG	2.48E-4	0.015	<LOQ	<LOQ
CBGA	8.00E-5	0.015	<LOQ	<LOQ
CBN	1.40E-5	0.015	<LOQ	<LOQ
THCA-A	3.20E-5	0.015	<LOQ	<LOQ
THCV	7.00E-6	0.015	<LOQ	<LOQ
Total Active CBD			<LOQ	<LOQ
Total Active THC			2.990	0.299

Axiia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THC = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034 The results apply to the sample as received. This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.